

Oral presentations

1. Rheumatology:

- 1) Cardiovascular risk in rheumatoid arthritis: does obstructive sleep apnea play a role?**
Anichkov D.A., Tsareva E.V., Shostak N.A., Timofeev V.T. (Moscow, Russian Federation)
- 2) Cardiovascular risk in patients with psoriatic arthritis**
Badokin V.V., Mezenova T.V., Yanysheva A.V. (Moscow, Russian Federation)
- 3) Reynolds risk score for assessing the cardiovascular risk in systemic lupus erythematosus – a single center cohort of 78 patients**
Dima A., Delcea C., Balanescu P., Jurcut C., Balanescu E., Badea C., Buzea A., Ionescu R., Baicus C., Dan G.A. (Bucharest, Romania)
- 4) Influence of denosumab on bone mineral density, structural damage in patients with osteoporosis and rheumatoid arthritis, depending to anti-inflammatory therapy***
Dydykina P.S., Petrova E.V., Dydykina I.S., Smirnov A.V., Glukhova S.M., Nasonov E.L. (Moscow, Russian Federation)
- 5) Pericardial involvement in biopsy-proven giant-cell arteritis patients detected by CT angiography: prevalence at diagnosis and outcome with glucocorticoid treatment**
Marco-Hernández J., Prieto-González S., Gilabert R., Milisenda J.C., et al. (Barcelona, Spain)
- 6) Big data and primary Sjögren syndrome: geoeidemiological characterization of 5027 patients recruited by the EULAR-SS Task Force International Network**
Pérez-Alvarez R., Pérez-de-Lis M., Brito-Zerón P., et al. (Barcelona, Spain, Debrecen, Hungary, Malmö, Sweden, Vigo, Spain)
- 7) Diagnosis of systemic diseases in patients presenting with sicca syndrome using a minimally-invasive minor salivary gland biopsy: prospective evaluation of 200 patients**
Pérez-de-Lis M., Pérez-Alvarez R., Brito-Zerón P., et al. (Vigo, Spain)
- 8) Rheumatoid arthritis and venous thromboembolic events**
Satybaldyeva M.A., Sereдавкина N.V., Kashnikova L.N., Semenova M.N., Reshetnyak T.M. (Moscow, Russian Federation)

2-3. Cardiology:

- 1) Risk factors association in cardiac pacemaker infection: 4 year follow-up**
Anjo C., Satendra M., Victor A.R., Longo S., et al. (Lisbon, Portugal)
- 2) Impact of iron deficiency correction in heart failure patients**
Carrasco D., Marques F., Araujo I., Dantas J., Vaz R., Leitão A., Campos L., Fonseca C. (Lisbon, Portugal)
- 3) A comparison among some electrocardiographic and echocardiographic variables with ventricular mass index to detect left ventricular hypertrophy**
Carvajal Ronderos E.J., Carrera Bolaños L.C., Urbano Gálvez J.M. (Elvas, Portugal)
- 4) Potentially inappropriate use of medicines in advanced age patients with heart failure in Spain**
Garcia J., Machado M., San Jose A., Formiga F., et al. (Huelva, Barcelona, Spain)
- 5) Are metabolically healthy obese individuals really healthy? Vascular health in relation to risk factors load in obesity**
Gavish D., Mashavi M., Shragorodsky M. (Holon, Israel)

- 6) **Venous thromboembolism prophylaxis in the emergency department: a new score**
Giovanni M., Vincentelli G.M., Monti M., Pirro M.R., Ciammaichella M., et al. (Assisi, Italy)
- 7) **The age adjusted cutoff plasma level of D-dimer for ruling out acute pulmonary embolism**
Fuchs E., Asakly S., Karban A., Tzoran I. (Haifa, Israel)
- 8) **Long term clinical outcome of patients admitted to a chest pain unit in an internal medicine department: significant reduction of mortality and acute coronary events**
Hamoud S., Mahamid R., Abbadi S., Shehadeh W., Aronson D., Hayek T., Lessick J. (Haifa, Israel)
- 9) **Evaluating the effectiveness of long-term treatment with beta-blockers in the quality of life of patients with chronic heart failure**
Kamilova U.K., Alieva T.A. (Tashkent, Uzbekistan)
- 10) **Chronic thromboembolic pulmonary hypertension associated with thrombophilia: more than meets the eye**
Klimenko A.A., Shemenkova V.S., Shostak N.A. (Moscow, Russian Federation)
- 11) **STEMI issues in the elderly**
Kochergina A.M., Kashtalap V.V., Barbarash O.L. (Kemerovo, Russian Federation)
- 12) **Blood urea nitrogen as a prognosis predictor in patients hospitalized with acute decompensated heart failure**
Korytny A., Andria N., Abboud I., Aronson D., Berger G., Azzam Z.S., Braun E. (Haifa, Israel)
- 13) **Infective endocarditis in intravenous drug users: cardiorenal relationships**
Kotova E.O., Lazarev P.V., Golostyonova L.M., Kiyakbayev G.K., Moiseev V.S. (Moscow, Russian Federation)
- 14) **Gender features of chronic heart failure**
Lareva N.V., Govorin A.V., Luzina E.V. (Chita, Russian Federation)
- 15) **Detection of masked arterial hypertension in young age female and male population in screening**
Lyamina N.P., Nalivaeva A., Lyamina S.V., Senchikhin V., Lipchanskaya T. (Saratov, Moscow, Russian Federation)
- 16) **Effects on right ventricular size and function of riociguat administration in patients with pulmonary arterial hypertension and chronic thromboembolic pulmonary hypertension**
Marra A.M., Egenlauf B., Ehlken N., Fischer C., et al. (Naples, Italy, Heidelberg, Germany)
- 17) **Mineral and bone disorder in chronic heart failure patients**
Reznik E.V., Gendlin G.E., Storozhakov G.I. (Moscow, Russian Federation)
- 18) **Familial hypercholesterolemia: treatment and therapeutic targets in the SAFEHEART follow-up study (Spanish Familial Hypercholesterolemia Longitudinal Cohort Study)**
Rubio-Marín P., Michán A., De Isla L.P., Alonso R., Fuentes-Jiménez F., Muñiz O., Díaz J.L., Andrés R., Hidalgo A.M., Miramontes P., Manjón L., López P.M. (Jerez de la Frontera, Madrid, Spain)
- 19) **Pulmonary embolism in young adults**
Solís Marquínez N., González Vallés J., García Morán A., García Vallina A., Fernández Regueiro R., Fonseca Aizpuru E. (Gijón, Spain)
- 20) **AHEAD score – long-term risk classification in acute heart failure**

Spinar J., Parenica J., Jarkovsky J., Spinarova L., Vitovec J., Soucek M., Labrova L. (Brno, Czech Republic)

21) Age-specific associations between obesity and sub-clinical cardiac or vascular changes in women

Starodubova A.V., Kislyak O.A., Storozhakov G.I. (Moscow, Russian Federation)

22) "To investigate or not to investigate: That is the question!" Investigation protocol for iron deficiency in chronic heart failure patients

Vaz R., Marques F., Araujo I., Dantas J., Carrasco D., Leitão A., Campos L., Fonseca C. (Lisbon, Portugal)

4. Gastroenterology:

1) Non-invasive serum fibrosis markers: A study in chronic hepatitis

Abdollahi M.R., Ekrami N.K., Pouri A., Ghojzadeh M., Azar F.P., Farahani H.K., Somi M.H. (Tabriz, Iran)

2) Upper-gastrointestinal bleeding in the emergency department: frequency and outcomes of different endoscopy diagnosis

Alves P.M., Borba V., Lages A., Gonçalves M., et al. (Coimbra, Portugal)

3) Survival time of patients with gastric cancer in Iran: a meta-analysis

Ghojzadeh M., Azar F.P., Abdollahi M.R., Mehran Rahimi N.J., Somi M.H. (Tabriz, Iran)

4) Screening and dynamic evaluation of disorders of motor-evacuation function of the stomach ultrasound techniques

Leushina E.A., Chicherina E.N. (Kirov, Russian Federation)

5) Additional markers in diagnostics of gastroesophageal reflux disease with pulmonary manifestations and its combination with asthma: surfactant protein D and alveolar macrophages phenotype

Lyamina S.V., Maev I.V., Malyshev I.Yu. (Moscow, Russian Federation)

6) Evaluation of the fecal neutrophil gelatinase-associated lipocalin in patients with different ulcerative colitis behavior

Mukhametova D., Abdulganieva D., Zinkevich O., Saphina N., Koporulina M., Odintsova A. (Kazan, Russian Federation)

7) Alpha-Klotho levels, liver function and short term mortality in a cohort of alcoholic patients

Quintero-Platt G., González-Reimers E., Pérez-Hernández O., Martín-González M.C., et al. (Tenerife, Spain)

8) The new metabolic index of insulin resistance diagnosis in patients with non-alcoholic fatty liver disease

Roytberg G.E., Sharkhun O.O., Dorosh J.V. (Moscow, Russian Federation)

9) Particular aspects of celiac disease in adults: our experience

Tebaibia A., Boudjella M.A., Benmediouni F., Oumnia N., Boucelma M. (Kouba, Algeria)

5. Infectious diseases:

1) Receptor for advanced glycation end-products serves a protective role during *Klebsiella pneumoniae*

Achouiti A., de Vos A.F., van't Veer C., van Zoelen M.A.D. et al. (Utrecht, the Netherlands)

- 2) **Methicillin-resistant *Staphylococcus aureus* in a Portuguese intensive care unit**
Alçada F., Faria C., Chan S., Henriques F., França L., Ferreira N., Pimentel A., Viana P.
(Leiria, Portugal)
- 3) **Adequate use of antimicrobial therapy in various wards - a cross sectional study in a tertiary hospital**
Beirão P., Pereira P., Martins J., Craveiro C., Pires I. (Almada, Portugal)
- 4) **Current epidemiology of HIV-infected patients admitted to the intensive care unit**
Caballero V.R., Martínez-Nadal G., Téllez A., Martínez E., Fernández S., Miró J.M., Castro P., Nicolás J.M. (Barcelona, Spain)
- 5) **Clinical features, short term mortality and prognostic risk factors of septic patients admitted to internal medicine units: an Italian multicenter prospective study**
Dentali F., Mazzone A., La Regina M., Foglia E., et al. (Varese, Italy)
- 6) **What antibiograms taught me last year?**
Frutuoso J., Soares P., Oliveira J., Lopes M., Vaz J. (Beja, Portugal)
- 7) **Epstein-Barr virus. An old enemy but new diagnostic guidelines and finally effective strategies using microRNAs**
Glady G. (Colmar, France)
- 8) **Clinical implications of changing bacterial flora of infected diabetic foot ulcers - 12 years experience in a large referral center**
Goltzman G., Perl S., Slater R.A., Lazarovitch T., Cantrell D., Rapoport M.J. (Rishon Lezion, Israel)
- 9) **Comparison of clinical and laboratory characteristics and prognosis in patients with right and left sided infective endocarditis**
Stavi V., Brandstaetter E., Porges T., Barski L. (Beer Sheva, Israel)
- 10) **Melioidosis in Bangladesh**
Uddin K.N., Afroze S.R., Rahim M.A., Barai L., Haq J.A. (Dhaka, Bangladesh)
- 11) **Infective endocarditis – 8 years in review**
Vilas-Boas A., Rosinhas J., Tadeu M., Afonso A., Marçal A., Moreira A., Camões S.
(Matosinhos, Portugal)

6. Endocrinology:

- 1) **Amiodarone-induced hyperthyroidism: a retrospective study**
Alves S., Gomes M.J., Cruz T. (Lisbon, Portugal)
- 2) **Behavior of liraglutide in a type 2 diabetes population with several cardiovascular risk factors**
Crisolino Pozas Á.P., Mateos Polo L. (Salamanca, Spain)
- 3) **Evaluation of electrocardiographic parameters in patients with diabetes insipidus**
Deniz F., Kepez A., Ay S.A., Erdogan O., Basköy K., Guncikan M.N., Dogan Z., Yonem A.
(Istanbul, Turkey)
- 4) **Gender aspects of obesity in patients with metabolic syndrome**
Korneeva E.V. (Surgut, Russian Federation)
- 5) **Hypomagnesaemia and glycemic control in diabetes – the reality in a Portuguese hospital**
Soares Z., da Cruz D., Louro J., Custódio M., Barata J. (Vila Franca de Xira, Portugal)

- 6) **Gender and age differences in the prevalence of obesity among adults in Central Kazakhstan: cross-sectional study** *Turmukhambetova A.A., Laryushina Ye.M., Turgunova L.G., Sheryazdanova D.N., Nildibaeva F.U., Amirkhanova D.T., Vassilyeva N.V.* (Karaganda, Kazakhstan)
- 7) **Ultrasonography as a new method of invisible lipohypertrophy diagnostics** *Volkova N.I., Davidenko I.U., Porksheyana M.I., Reshetnikov I.B., Rudakova U.A.* (Rostov-on-Don, Russian Federation)
- 8) **Current features of clinical presentations and diagnostics of pheochromocytoma** *Volkova N.I., Porksheyana M.I., Kanaeva S.A., Davidenko I.Y., Reshetnikov I.B.* (Rostov-on-Don, Russian Federation)
- 9) **Glucose control in the transition from the internal medicine department to the community: successes, failures and insights** *Yadgerov Y., Marcovicciu D., Beilin V., Lerman-Shibak H., Dicker D.* (Petach Tikva, Israel)

7. General internal medicine:

- 1) **Padua prediction score and improve bleeding risk score as predictors of in-hospital mortality** *La Regina M., Marinaro A., Corsini F., Marchini F., et al.* (La Spezia, Italy)
- 2) **Is bioethics moving away from patient and clinical practice?** *Lascasas S., Abreu J.C., Antunes A.L., Barbosa C., Gonçalves A.M.* (Porto, Portugal)
- 3) **Serious adverse events due to interactions with dietary and herbal supplements among inpatients** *Levy I., Attias S., Goldstein L., Ben-Arye E., Schiff E.* (Haifa, Israel)
- 4) **How to improve the quality of drug prescription for elderly patients in medical wards? A randomized controlled study to evaluate the effects of an e-learning educational program** *Manfellotto D., Franchi C., Mannucci P.M., Bernabei R., et al.* (Rome, Italy)
- 5) **A novel diagnostic algorithm for recurrent fever of unknown origin** *Manna R., Cauda R., Feriozzi S., Gambaro G., et al.* (Rome, Italy)
- 6) **How to develop a new comprehensive predictive model to evaluate the complexity of patients hospitalized in internal medicine? The COMPLIMED study by the Italian scientific society FADOI** *Nardi R., Frasson S., Nozzoli C., Gussoni G., et al.* (Milan, Italy)
- 7) **Pleural effusion: characteristics and etiology in a third level hospital** *Pintos Pascual I., Lledó Ibáñez G., Ríos Garcés R., Anula Morales Á., et al.* (Madrid, Spain)
- 8) **Incidence and etiology of hyponatremia within emergency wards in a third-level hospital** *Pintos Pascual I., Moreno-Torres Concha V., Lledó Ibañez G.M., Roque Rojas F., et al.* (Madrid, Spain)
- 9) **Medication management improvement: double check by certified pharmacist or electronic medical system - what is better to avoid medication errors?** *Roytberg G.E., Kondratova N.V.* (Moscow, Russian Federation)
- 10) **Tumor markers - shall we use it in clinical practice?** *Seidi M., Nunes A., Romão T., Benites G., Mello e Silva A., Rego A.* (Lisbon, Portugal)

11) Kidney diseases in North Israel according to kidney biopsies – Bnai-Zion medical center 14 years' experience

Willner N., Storch S., Nativ O. (Haifa, Israel)