

# Endocrinology

## **Daily dynamics of blood pressure and heart failure in patients with acromegaly**

*Borovkov N.N., Zanozina O.V., Zavyalova U.V.* (Nizhny Novgorod, Russian Federation)

## **Short-term parenteral nutrition in an Internal Medicine Unit of a Tertiary Hospital: descriptive and economic analysis**

*Cayón M., Barcala Salido J.M., García Figueras C., Rubio-Marín P.* (Jerez de la Frontera, Spain)

## **Nutritional risk screening in HIV-infected patients: usefulness of a method based on analytical parameters**

*Cayón M., Rubio-Marín P., García-Figueras C., Bancalero P., Terrón A., Pérez S.* (Jerez de la Frontera, Spain)

## **Heart rate variability and circadian index in patients with type 2 diabetes**

*Efremova O.N., Esina M.V., Prekina V.I., Yamashkina E.I.* (Saransk, Russian Federation)

## **Poor sleep quality is a risk factor for the development of obesity**

*Furuncuoğlu Y., Başar M.* (Istanbul, Turkey)

## **Developing additional autoimmune disorders in 20 years follow-up of a young Addison patient**

*Furuncuoğlu Y., Mantar F., Başar M.* (Istanbul, Turkey)

## **HCV/HIV co-infected patients with severe liver fibrosis have glucose metabolism alterations even in the absence of diabetes**

*García Figueras C., Cayón M., Rubio-Marín P.* (Jerez de la Frontera, Spain)

## **Secondary hyperparathyroidism in HIV-patients increases cardiovascular risk factors**

*García Figueras C., Cayón M., Rubio-Marín P.* (Jerez de la Frontera, Spain)

## **Visceral adiposity index is a better predictor for non-alcoholic liver fibrosis in HIV/HCV co-infected patients than body mass index**

*García Figueras C., Rubio-Marín P., Cayón M., Bancalero P., Terrón A., Pérez S.* (Jerez de la Frontera, Spain)

## **Relationship between biochemical markers of endothelial dysfunction, clinical and metabolic parameters in men with type 2 diabetes**

*Khripun I.A., Vorobyev S.V., Morgunov M.N., Belousov I.I., Ibishev H.S., Cherniy A.A., Kogan M.I.* (Rostov-on-Don, Russian Federation)

## **Genetic determinants of endothelial dysfunction in men with type 2 diabetes**

*Khripun I.A., Vorobyev S.V., Morgunov M.N., Belousov I.I., Kogan M.I.* (Rostov-on-Don, Russian Federation)

## **An unusual case: bilateral pheochromocytoma with pituitary adenoma**

*Mantar F., Furuncuoğlu Y., Başar M., Yapıcıer Ö., Kılıç T.* (Istanbul, Turkey)

## **Increased risk in patients with arterial hypertension associated with type 2 diabetes mellitus versus patients with arterial hypertension only**

*Nelaj E., Gjata M., Tase M.* (Tirana, Albania)

**The effect of L-thyroxine treatment on mean platelet volume in patients with hypothyroidism**

*Okuroglu N., Ozdemir A., Silahtar O., Dalbeler A.G., Seribas Y.* (Istanbul, Turkey)

**Plasma and urinary metal levels in metabolic syndrome**

*Salman H., Gönülalan G., Nurlu N.* (Konya, Turkey)

**Diastolic function of left ventricle at patients with diabetes 2 types with the accompanying arterial hypertension**

*Sayfutdinov R.I., Boeva O.V., Bugrova O.V.* (Orenburg, Russian Federation)

**Pancreas glucagonoma: case report**

*Simonenko A.V., Dulin P.A., Simonenko V.B., Makanin M.A., Dzhnanashia E.A.* (Moscow, Russian Federation)

**Analysis of factors contributing to morbidity rate of diabetes mellitus type 2 in the Republic of Mordovia**

*Yamashkina E.I., Kunyaeva T.A., Spassky A.A., Esina M.V., Efremova O.N.* (Saransk, Moscow, Russian Federation)